






FLOOR SCRAPER BLADES


	Stock #	Description	Thickness	Application Removal on Wood or Concrete Floors Unless Specified	#550, #505 & #500 Panther [®]	#6300 Panther Porta [®]	#5280 & #6280 Panther [®] Self Pro pelled	#6280 HD Panther [®]	Panther [®] Ride On Machines	
Standard Blade										
	#135	5" x 16"	.062	Rubber back carpet, excellent for cleanup and longer durability	X		X	X	X	
	#136	5" x 8"	.062	Removal of wood flooring			X	X		
	#147	4" x 6"	.062	Tile or linoleum (concrete or wood)	X		X	X	X	
	#148	5" x 6"	.062	Tile or linoleum (concrete or wood)	X		X	X	X	
Blades with Slots										
	#130-S	3" x 10"	.062	Glued down carpet, tile or resilient	X		X	X		
	#131-S	3" x 16"	.062	Glued down rubber carpet, floor accumulation	X		X	X		
	#6201	3" x 10"	.062	Glued down carpet, tile or resilient		X				
	#6202	5" x 6"	.062	Tile or linoleum (wood)		X				
	#6203	4" x 6"	.062	Tile or linoleum (concrete)		X				
Double Edge Blades (both edges sharpened)										
	#130-D	3" x 10"	.062	Glued down carpet, tile or resilient	X		X	X		
	#147-D	4" x 6"	.062	Tile or linoleum (concrete)	X		X	X		
	#148-D	5" x 6"	.062	Tile or linoleum (wood)	X		X	X		
Heavy Duty Blades - 4 inch Height - <i>NEW!</i>										
	#6240	4" x 6"	.094	A heavy duty blade that still has a little flex. Made with National's proven blade hardening process, these blades will stay sharper longer with better overall performance than any other blade on the market. Works on VCT, VAT, wood, tile, rubber epoxy, elastomeric coatings, scraping thin-set, glued ceramic.	X		X	X	X	
	#6241	4" x 8"	.094		X		X	X	X	
	#6242	4" x 12"	.094		X		X	X	X	
	#6243	4" x 15"	.094		X		X	X	X	
	#6244	4" x 24"	.094							X
	#6245	4" x 10"	.094		X		X	X	X	
	#6246	4" x 27"	.094							X
Heavy Duty Blades - 3 inch Height										
	#6281	3" x 8"	.094	A heavy duty blade that still has a little flex. Made with National's proven blade hardening process, these blades will stay sharper longer with better overall performance than any other blade on the market. Works on VCT, VAT, wood, tile, rubber epoxy, elastomeric coatings, scraping thin-set, glued ceramic.	X		X	X	X	
	#6282	3" x 14"	.094		X		X	X	X	
	#6283	3" x 27"	.094							X
	#6284	3" x 12"	.094		X		X	X	X	
	#6285	3" x 6"	.094		X		X	X	X	
	#6286	3" x 10"	.094		X		X	X	X	
Extra Heavy Duty Blades										
	#6270	1½" x 3"	.250	Ultra tough coatings, ceramic & hardwood			X			
	#6271	3" x 6"	.250	Ultra tough coatings, ceramic & hardwood			X			
	#6273	3" x 11"	.250	Ultra tough coatings, ceramic & hardwood			X			
	#6290	3" x 6"	.187	Extremely hard, high abrasion alloy for tough tear up situations. VCT, VAT, wood, tile, lighter ceramic, rescraping thin-set , all carpets, cork, elastomeric coatings, rescraping rubber and urethane coatings. Holds the edge extremely well.	X		X		X	
	#6291	3" x 8"	.187		X		X		X	
	#6292	3" x 12"	.187		X		X		X	
	#6293	3" x 14"	.187		X		X		X	
	#6294	3" x 27"	.187							X
	Premium High Tempered Blades									
	#7050-200	3" x 6"	.062	Ultra high quality spring steel is extra hard for long blade life between sharpening. Works on all glued down carpets, VCT, VAT, rubber tile, cork, re-scraping adhesive, elastomeric coatings. Great for floor accumulations.	X		X	X	X	
	#7050-201	3" x 8"	.062		X		X	X	X	
	#7050-202	3" x 10"	.062		X		X	X	X	
	#7050-203	3" x 12"	.062		X		X	X	X	
	#7050-204	3" x 14"	.062		X		X	X	X	
	#7050-205	3" x 27"	.062							X

FLOOR SCRAPER BLADES


	Stock #	Description	Thickness	Application Removal on Wood or Concrete Floors Unless Specified	#550, #505 & #500 Panther™	#6300 Panther Porta™	#5280 & #6280 Panther™ Self Pro pelled	#6280 HD Panther™	Panther™ Ride On Machines	
Self-Scoring Blades - 3 inch width										
	#6255-BU	4" x 6"	.062	Tough, long lasting, self-scoring blades. 90° angled self-scoring wings. Made from National's proven blade hardening process, performs up to ten times longer than the competition. Works on attached cushion, Unitary or secondary backing, vinyl back, soft to medium PVC, linoleum, carpet tiles, soft cork, Enhancer and Unibond hot melts.	X		X	X		
	#6257-BU	3" x 9"	.062				X	X	X	
	#6258-BU	3" x 12"	.062				X	X	X	
	#6259-BU	3" x 14"	.062				X	X	X	
	#6260-BD	3" x 6" HD Ditching	.094							
	#6276-BU	3" x 10"	.094		Same application as the .062 self-scoring blades. 45° angle, self-scoring wings for easy sharpening. The thickness greatly reduces breakage, especially on heavily weighted machines.			X	X	X
	#6277-BU	3" x 12"	.094					X	X	X
	#6278-BU	3" x 14"	.094					X	X	X
#6279-BU	3" x 27"	.094						X		
Self-Scoring Blades - 4 inch width - NEW!										
	#6247	4" x 10"	.094	Same application as the .062 self-scoring blades. 90° angle , self-scoring wings for easy sharpening. The thickness & 4 inch height greatly reduces breakage , especially on heavily weighted machines.						
	#6248	4" x 12"	.094							
	#6249	4" x 24"	.094							
Self-Scoring Blade with 4 inch Bevel Up										
	#6256-BU	4" x 6" w/ 4" BU	.062	Extended wings for double stick. Tough, long lasting, self-scoring blades. 90° angled self-scoring wings. Made from National's proven blade hardening process, performs up to ten times longer than the competition.						
	#6261-BU	3" x 12" w/ 4" BU	.062							
Increased Angle Blades										
	#7083	3" x 8"	.062	Mainly used for VCT, but can be used on most other applications. Supplies more of an angle when angle is needed. Prevents machine from jumping off material.	X		X	X	X	
	#7081	3" x 10"	.062			X		X	X	X
Razor/Scraper Blades (pkg of 50)										
	#363-2	3/4" x 8"	.032	Razor sharp, super hard for scraping thin epoxies, thin mil coatings like urethane paint, poured elastomeric coatings up to 60 mil, hard to remove adhesives and much more. #5280 & #6280 requires Swivel Head Attachment, #6280HD, #5110, #5200QL, #5600, #5700 & #6600 requires Razor Blade Heads.			X		X	
	#368-8	7/8" x 8"	.045				X		X	
	#368-12	7/8" x 12"	.045				X	X	X	
	#368-15	7/8" x 15"	.045				X		X	

NEW! - National Blades made to fit Duro* and Turbo floor removal machines - NEW!









National blades made to fit Duro* Machines *Duro and Turbo are registered trademarks of Sinclair Equipment Company

	#10-4906	8" Rigid Blade	Now you can enjoy the quality and longevity of a National brand blade even if you don't own a National scraper. New this year, National is manufacturing National quality blades that can be utilized on our competitor's machines. Rigid Blade: Standard blade for carpet, vinyl or adhesive removal. Self Dicing Blade: Designed for carpet, rubber or vinyl removal. Blade self scores material as it moves through it. Tile Blade: Primarily for use with VAT & VCT tile. The design of the blade prevents tile from becoming jammed between the blade and the blade holder.
	#10-4906D	8" Self-Dicing Blade	
	#10-4907T	8" Tile Blade	

National blades made to fit Turbo* Machines *Duro and Turbo are registered trademarks of Sinclair Equipment Company

	#10-4651T	12" Tile Blade	Now you can enjoy the quality and longevity of a National brand blade even if you don't own a National scraper. New this year, National is manufacturing National quality blades that can be utilized on our competitor's machines. Rigid Blade: Standard blade for carpet, vinyl or adhesive removal. Self Dicing Blade: Designed for carpet, rubber or vinyl removal. Blade self scores material as it moves through it. Tile Blade: Primarily for use with VAT & VCT tile. The design of the blade prevents tile from becoming jammed between the blade and the blade holder.
	#10-4801D	14" Self-Dicing Blade	
	#10-4803	8" Rigid Blade	

FLOOR SCRAPER BLADES

	Stock #	Description	Thickness	Application Removal on Wood or Concrete Floors Unless Specified	#550, #505 & #500 Panther™	#6300 Panther Porta™	#5280 & #6280 Panther™ Self Pro pelled	#6280 HD Panther™	Panther™ Ride On Machines
Straight Shank Blades									
	#7070-2	2" x 4"	.500	Works well for ceramic, wood and thick epoxy. The ultimate for the toughest removals. Made from an ultra tough alloy, which is put through special processing to give these blades unbelievable edge holding ability for ceramic epoxy, thin-set, mud set, decorative concrete toppings and much more.					X
	#7070-3	3" x 4"	.500						X
	#7070-4	4" x 4"	.500						X
	#7070-6	6" x 4"	.500						X
Angle Shank/Shoe Blades Patent 7,082,686 & 6,813,834									
	#7071-2	2" x 4"	.500	Works well for ceramic and thick epoxy. The same application as the #7070 blades, but is mounted at an angle to achieve the optimum shear point for optimum performance.					X
	#7071-3	3" x 4"	.500						X
	#7071-4	4" x 4"	.500						X
	#7071-6	6" x 4"	.500						X
Straight Shank with Carbide Tip									
	#7072-2	2" x 4"	.500	Works well for ceramic and thick epoxy. The same application as the #7070 blades, but are carbide tipped for holding a sharp edge for long periods. Nothing else performs like carbide when no other blade will work. Works well on elastomeric coatings.					X
	#7072-3	3" x 4"	.500						X
	#7072-4	4" x 4"	.500						X
	#7072-6	6" x 4"	.500						X
Angle Shank/Shoe Blade with Carbide Tip Patent 7,082,686 & 6,813,834									
	#552	2" x 4"	.312	Works well for ceramic, wood and thick epoxy. #550 Scraper requires #551 shank holder	550 Only		5280 Only		
	#7281-12	2" x 4"	.312					X	
Tapered Cutting Head Shanks Patent 7,082,686 & 6,813,834									
	#7075-8	2" x 8"	.300	The longer taper works great on tough wood floors (glued & nailed). The long length allows the blade to easily slide under tough material. Works well on most ceramics and VCT.					X
	#7075-11	2" x 11"	.300						X
	#7077-8	3½" x 8"	.300						X
	#7077-11	3½" x 11"	.300						X
Ultra Heavy Duty Ceramic Epoxy Angle Shanks with Carbide Tip Patent 7,082,686 & 6,813,834									
	#7079-2	2" x 6"	.500	Designed for ceramic removal and thin-set rescraping. ½" of carbide. The extra carbide allows for maximum resharping. Strong enough to work on machines up to 3500 lbs. <i>Not recommended for the 2900 HS Machine</i>					X
	#7079-4	4" x 6"	.500						X
	#7079-6	6" x 6"	.500						X
6280HD Angle Shank Blade with Carbide Tip Patent 7,082,686 & 6,813,834									
	#7281-1	1" x 6"	.500	Works well for ceramic, wood, rescrape, thin-set and epoxies. The carbide allows for maximum resharping.				X	
	#7281-2	2" x 6"	.500					X	
	#7281-4	4" x 6"	.500					X	
	#7281-6	6" x 6"	.500					X	
Ripper Teeth									
	#502	Panther®		Difficult surfaces: some ceramic, wood, tile, etc.	X		5280 Only		
	#6310	Panther Porta®		Difficult surfaces: some ceramic, wood, tile, etc.		X			
	#6253	Self-Propelled		Difficult surfaces: some ceramic, wood, tile, etc.			6280 Only		